

## The American Journal of Occupational Therapy

July/August 2018 Volume 72, Number 4

Health Policy Perspectives 7204090010 XXX

Special Section: Occupational Therapy Interventions for People With Mental Illness

## Guest Editorial 7204170010 XXX

	Special Section: Evidence Reviews	
7204 <b>190010</b>	Effectiveness of Health Promotion, Management, and Maintenance Interventions Within the Scope of Occupational Therapy for Community-Dwelling Older Adults: A Systematic Review Sue Berger, Anne Escher, Emily Mengle, Nicole Sullivan	
	Strong evidence supports group and individual health promotion, management, and maintenance interventions to improve occupational performance and quality of life of community-dwelling older adults.	
7204 <b>190020</b>	Occupational Therapy Interventions Supporting Social Participation and Leisure Engagement for Community-Dwelling Older Adults: A Systematic Review Stacy Smallfield, Whitney Lucas Moliter	
	ILeisure education and chronic disease self-management programs were found to support leisure engagement among community-dwelling older adults, whereas the evidence for group interventions and electronic gaming for social participation outcomes was mixed.	
7204 <b>190030</b>	Occupational Therapy Interventions Addressing Sleep for Community-Dwelling Older Adults: A Systematic Review Stacy Smallfield, Whitney Lucas Molitor	
	Strong evidence supports cognitive-behavioral interventions, including relaxation, sleep hygiene, problem solving, and physical exercise, to address sleep issues among community-dwelling older adults.	
7204 <b>190040</b>	Occupational Therapy Fall Prevention Interventions for Community-Dwelling Older Adults: A Systematic Review Sharon Elliott, Natalie E. Leland	
	The findings from this systematic review inform the delivery and integration of interventions in various settings to minimize falls among community-dwelling older adults.	
7204 <b>190050</b>	Occupational Therapy Interventions to Improve Performance of Instrumental Activities of Daily Living for Community-Dwelling Older Adults: A Systematic Review Elizabeth G. Hunter, Pamalyn J. Kearney	
	Evidence supports tailored, multidisciplinary, home-based care programs to enhance IADL performance among community-dwelling older adults.	
7204 <b>190060</b>	Occupational Therapy Interventions to Improve Activities of Daily Living for Community-Dwelling Older Adults: A Systematic Review Chiung-ju Liu, Wen-Pin Chang, Megan C. Chang	
	Home-based interventions are recommended to improve independence among community-dwelling older adults with ADL difficulty; physical exercise, although a common intervention, showed no benefit for older adults absent difficulty in ADLs.	

## Special Section: Research Articles

7204195010 Implementing Evidence-Based Interventions With Community-Dwelling Older Adults: A Scoping Review

Lisa Juckett, Monica Robinson

Findings suggest that practitioners, administrators, and researchers should adopt strategies such as workshops, consultations, fidelity vignettes, peer mentoring, and standardized training to integrate research into practice with older adults.

		Preference was found to be a key factor in diversity of participation in activities outside school among 422 typically developing Australian children.
	7204 <b>205020</b>	Promoting Health Through Engagement in Occupations That Maximize Food Resources
		Laura Schmelzer, Theresa Leto
		An occupation-based intervention program to enhance food resource management for people living in poverty was found to be feasible.
	7204 <b>205030</b>	Ohio Modified Arm–Motor Ability Test (OMAAT): An Optimized Measure of Upper Extremity Functional Limitation in Hemiparetic Stroke
		Andrew C. Persch, Alexis Wagner, Mallory Fleming, P. Cristian Gugiu, Stephen J. Page
		The OMAAT is the first short measure of upper extremity functional limitation available to clinicians and researchers that includes an administration manual and has been examined using nonparametric psychometrics.
	7204 <b>205040</b>	Predictive Value of the Cognitive Performance Test (CPT) for Staging Function and Fitness to Drive in Neurocognitive Disorders
	7204 <b>205040</b>	
	7204 <b>205040</b>	Neurocognitive Disorders
	7204 <b>205040</b> 7204 <b>205050</b>	Neurocognitive Disorders         Theressa Burns, Katie Lawler, David Lawler, J. Riley McCarten, Michael Kuskowski         The CPT was shown to discriminate functional level in people with neurocognitive disorders and to have better predictive value for fitness to drive than conventional cognitive measures.         Occupational Therapy Practitioners' Perspectives on Occupation-Based Interventions for Clients With a Hip Fracture
		Neurocognitive Disorders         Theressa Burns, Katie Lawler, David Lawler, J. Riley McCarten, Michael Kuskowski         The CPT was shown to discriminate functional level in people with neurocognitive disorders and to have better predictive value for fitness to drive than conventional cognitive measures.         Occupational Therapy Practitioners' Perspectives on Occupation-Based Interventions for Clients With a Hip Fracture         Carin Wong, Brenda Fagan, Natalie E. Leland
		Neurocognitive Disorders         Theressa Burns, Katie Lawler, David Lawler, J. Riley McCarten, Michael Kuskowski         The CPT was shown to discriminate functional level in people with neurocognitive disorders and to have better predictive value for fitness to drive than conventional cognitive measures.         Occupational Therapy Practitioners' Perspectives on Occupation-Based Interventions for Clients With a Hip Fracture
Columns		Neurocognitive Disorders         Theressa Burns, Katie Lawler, David Lawler, J. Riley McCarten, Michael Kuskowski         The CPT was shown to discriminate functional level in people with neurocognitive disorders and to have better predictive value for fitness to drive than conventional cognitive measures.         Occupational Therapy Practitioners' Perspectives on Occupation-Based Interventions for Clients With a Hip Fracture         Carin Wong, Brenda Fagan, Natalie E. Leland         Identifying practitioners' perspectives on integrating occupation into rehabilitation may inform strategies to facilitate occupation-based interventions in postacute care.         The Issue Is
Columns	7204 <b>205050</b>	<ul> <li>Neurocognitive Disorders</li> <li>Theressa Burns, Katie Lawler, David Lawler, J. Riley McCarten, Michael Kuskowski</li> <li>The CPT was shown to discriminate functional level in people with neurocognitive disorders and to have better predictive value for fitness to drive than conventional cognitive measures.</li> <li>Occupational Therapy Practitioners' Perspectives on Occupation-Based Interventions for Clients With a Hip Fracture</li> <li>Carin Wong, Brenda Fagan, Natalie E. Leland</li> <li>Identifying practitioners' perspectives on integrating occupation into rehabilitation may inform strategies to facilitate occupation-based interventions in postacute care.</li> </ul>
Columns	7204 <b>205050</b>	Neurocognitive Disorders         Theressa Burns, Katie Lawler, David Lawler, J. Riley McCarten, Michael Kuskowski         The CPT was shown to discriminate functional level in people with neurocognitive disorders and to have better predictive value for fitness to drive than conventional cognitive measures.         Occupational Therapy Practitioners' Perspectives on Occupation-Based Interventions for Clients With a Hip Fracture         Carin Wong, Brenda Fagan, Natalie E. Leland         Identifying practitioners' perspectives on integrating occupation into rehabilitation may inform strategies to facilitate occupation-based interventions in postacute care.         The Issue Is         Leisure as an End, Not Just a Means, in Occupational Therapy Intervention